Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	684	(600/561).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/18 11:11
L4	64	L3 and fluid with fill	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 11:11
L5	31	L3 and liquid with fill	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 11:11
L6	0	L3 and liquid with fillL4 with "mu.L"	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 11:12
L7	1	L4 and "mu.l"	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 11:13
L8	5	L3 and "mu.l"	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 11:13
L10	1	"6296615".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 12:15
L11	159	silicone with diaphragm with sensor	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 12:21
L12	2	silicone same sensor same compliance same range	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 12:21
L13	0	("S3andsensornearcompliance").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/18 12:26
L14	9	(("20030195428") or ("6537232") or ("6379308") or ("6296615") or ("6033366") or ("4846191") or ("5573007") or ("5964714") or ("6156064")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/18 12:26
L15	0	L14 and sensor near compliance with range	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 12:26
L16	0	L14 and sensor near compliance	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 12:26
L17	2	L14 and sensor with compliance	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 12:26
L18	1	L14 and sensor with range	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 12:27

L19	2	sensor same range same compliance same mmHg	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 12:28
L20	35	("2558805" | "3056005" | "3533095" | "3631438" | "3718791" | "3860773" | "4020482" | "4068334" | "4086458" | "4137116" | "4172216" | "4220815" | "4401896" | "4426884" | "4471177" | "4497989" | "4503705" | "4551713" | "4565910" | "4617433" | "4638307" | "4644801" | "4827763" | "4833457" | "4845323" | "4876419" | "5068504" | "5113176" | "5471405" | "5813142" | "Re28754").PN. OR ("6165142"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 12:31
L21	0	L20 and compliance same sensor	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 12:31
L22	0	L20 and compliance	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 12:31
L23	0	L20 and mmHg	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 12:31
L25	0	"606".ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 12:38
L26	2	("0000606").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/18 12:38
L27	0	"600".ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 12:38
L28	0	"606".ccls. with sensor	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 12:39
L29	0	"606".ccls. with catheter	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 12:39
L31	262	(600/505).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/18 12:56
L32	175	L31 and sensor	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 12:57
L33	18	L32 and compliance	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 13:00

L34	1	L31 and sensor same compliance same range	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 13:09
L35	620573	sensor	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 13:09
L36	18102	L35 and compliance	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 13:10
L37	13603	L36 and range	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 13:10
L38	892	L37 and cc	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 13:11
L39	0	L37 and cc with mmhh	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 13:11
L40	6	L37 and cc with mmhg	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 13:19
L41	38	sensor adj compliance	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 13:25
L42	1	sensor adj compliance with mmHg	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 13:26
L43	1	sensor same "mu.l" adj mmHg	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 13:26
L44	0	sensor same "cc" adj mmHg	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 13:26
L45	1	sensor same "l" adj mmHg	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 13:28
L46	0	sensor same "micro adj liter" adj mmHg	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 13:28
L47	0	sensor same micro$liter adj mmHg	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 13:29
L48	0	sensor same "cm.sup3" adj mmHg	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 13:29
L49	0	sensor same "cm.sup3"	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 13:30

L50	1088	sensor same mmhg	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 13:30
L51	0	sensor with "cm.sup3" adj mmhg	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 13:34
L52	298327	pressure and sensor	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 13:34
S1	91	manufacture with catheter with plastic	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/11 12:30
S2	20	rosenberg with meir.in.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/11 12:33
S3	9	(("20030195428") or ("6537232") or ("6379308") or ("6296615") or ("6033366") or ("4846191") or ("5573007") or ("5964714") or ("6156064")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/18 12:26
S4	684	(600/561).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 17:42
S5	192	S4 and silicone	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/11 16:59
S6	22	S5 and compliance	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/11 17:01
S7	9	S6 and cm	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/11 17:01
S8	6	S4 and polydimethylsiloxane	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 11:50
S9	218	S4 and cs not electronics	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/11 17:42
S10	684	(600/561).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/18 11:10
S11	87	S10 and compliance	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/12 14:41
S12	24	S11 and mmHg	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/12 14:17

S13	0	".mu."$6	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/12 14:17
S14	0	".mu.L"	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/12 14:17
S15	3	S10 and microliter	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/12 14:18
S16	0	S10 and ".mu.L"	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/12 14:19
S17	0	".mu.L"	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/12 14:19
S18	0	".mu."	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/12 14:19
S19	38739	microliter	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/12 14:24
S20	3	S10 and microliter	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/12 14:26
S21	0	S10 and (".mu.l")	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/12 14:27
S22	0	(".mu.l")	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/12 14:27
S23	0	".mu.l"	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/12 14:27
S24	330183	S10 and compliance $4liter	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/12 14:35
S25	6668	S24 and mmHg	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/12 14:36
S26	0	S10 with compliance with $4liter with mmHg	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/12 14:37
S27	0	S10 with compliance with $4liter	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/12 14:37
S28	0	S10 same compliance same $4liter	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/12 14:38

S29	0	S10 same $4liter	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/12 14:38
S30	0	".mu.l/mmHg"	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/12 15:00
S31	0	S10 and l/mmHg	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/12 15:11
S32	2	l/mmHg	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/12 15:13
S33	684	(600/561).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/13 14:14
S34	5	S33 and "mu.l"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/13 10:23
S35	64	S33 and first with second with lumen	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/13 10:23
S36	49	S35 and diameter	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/13 10:24
S37	139	catheter with membrane with silicone	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/13 12:28
S38	10	catheter with membrane with polydimethylsiloxane	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/13 14:09
S39	10	"600".ccls. catheter with membrane with polydimethylsiloxane	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 12:56
S40	10	"604".ccls. catheter with membrane with polydimethylsiloxane	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/13 14:11
S41	10	"606".ccls. catheter with membrane with polydimethylsiloxane	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/18 12:39
S42	51202	"606".clas. catheter with membrane with polydimethylsiloxane	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/13 14:11
S43	31	S33 and viscosity	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/13 14:16
S44	0	S43 and kinematic	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/13 14:16

S45	0	S43 and centi adj stokes	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/13 14:17
S46	337	viscosity and (centi adj stokes)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/13 14:28
S47	237	S46 and pressure	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/13 14:30
S48	126	S47 and fluid	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/13 14:33
S49	1	S48 and catheter	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/13 14:31
S50	54655	S46 and silicone or siloxane	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/13 14:34
S51	165	S46 and silicone	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/13 14:35
S52	110	S47 and S51	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/13 14:44
S53	30	"6156064"	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/13 14:45
S54	1	("6156064").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/13 14:45
S55	5	mu.L/mmHg	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/17 11:27
S56	5	mu.L/mmHg	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/17 11:45
S57	158428	"mu.L"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/17 11:45
S58	6414	"mu.L" with membrane	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/17 11:45
S59	20	"mu.L" with membrane with pressure	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/17 11:54
S60	86	"mu.L" with mmHg	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/17 12:08

S61	19	membrane with compliance with range	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/17 14:07
S62	0	membrane with compliance with cm.sup3/mmHg	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/17 14:08
S63	0	compliance with cm.sup3/mmHg	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/17 14:08
S64	0	cm.sup3/mmHg	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/17 14:08
S65	0	"cm.sup3" with mmHg with compliance	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/17 14:08
S66	0	"cm.sup3" with mmHg	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/17 14:08
S67	0	"cm.sup3" with mmHg	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/17 14:08
S68	0	"cm.sup 3" with mmHg	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/17 14:20
S69	3	"cm.sup 3" same mmHg	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/17 14:23
S70	0	".cm.sup 3" same mmHg	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/17 14:23
S71	32	cubic with centimeter same mmHg	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/17 15:45
S72	16	"5899937"	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/17 15:45
S73	1	("5899937").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/17 15:45
S74	1	("5076280").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/17 16:36